




## SPRING

In Collection

<b>Brand</b>	Oryzon	
<b>Production</b>	EN 1307 - Tuft	
<b>Certification Site</b>	1109	
<b>Surface Aspect</b>	1/8" CUTPILE	
<b>Pile Content</b>	100% PP	
<b>Pile Weight</b>	440 g/m <sup>2</sup>	
<b>Pile Height</b>	6 mm	

(latest update: )

## Backing: Marine Cfl (576)

<b>Usage</b>	Outdoor & Indoor	
<b>Total Height</b>	7 mm	
<b>Total Weight</b>	1250 g/m <sup>2</sup>	
<b>Pile Direction</b>	OUT	
<b>Standard Length</b>	30 m	
<b>Fire Behaviour</b>	CFL-S1	
<b>To be permanently glued</b>	No	
<b>CPD Number</b>	0493-CPD-0084	
<b>DOP</b>	1109 7737005760	

## Available colours and widths

	200	400
7000 GROEN	✓	✓




## SPRING

In Collection

<b>Brand</b>	Oryzon	
<b>Production</b>	EN 1307 - Tuft	
<b>Certification Site</b>	1109	
<b>Surface Aspect</b>	1/8" CUTPILE	
<b>Pile Content</b>	100% PP	
<b>Pile Weight</b>	440 g/m <sup>2</sup>	
<b>Pile Height</b>	6 mm	

(latest update: )

## Backing: Marine (574)

<b>Usage</b>	Outdoor & Indoor	
<b>Total Height</b>	7 mm	
<b>Total Weight</b>	1050 g/m <sup>2</sup>	
<b>Pile Direction</b>	OUT	
<b>Standard Length</b>	30 m	
<b>Fire Behaviour</b>	EFL	
<b>DOP</b>	1109 7737005740	

## Available colours and widths

	200	400
6000 BLAUW	✓	✓
7000 GROEN	✓	✓
8000 GRIJS	✓	✓




**SPRING**

In Collection

<b>Brand</b>	Oryzon	
<b>Production</b>	EN 1307 - Tuft	
<b>Certification Site</b>	1109	
<b>Surface Aspect</b>	1/8" CUTPILE	
<b>Pile Content</b>	100% PP	
<b>Pile Weight</b>	440 g/m <sup>2</sup>	
<b>Pile Height</b>	6 mm	

(latest update: )

**Backing: Marine + nop (543)**

<b>Usage</b>	Outdoor & Indoor	
<b>Total Height</b>	7 mm	
<b>Total Weight</b>	1250 g/m <sup>2</sup>	
<b>Pile Direction</b>	OUT	
<b>Standard Length</b>	30 m	
<b>Fire Behaviour</b>	EFL	
<b>DOP</b>	1109 7737005430	

**Available colours and widths**

	200	400
7000 GROEN	✓	✓